


2017 MODEL YEAR



2017 SPECIFICATIONS

- > LOA: 35' 6" (10.82 m)
- > Beam: 10'10" (3.30 m)
- > Draft: 24.5" (0.62 m)
- > Weight (dry, no engine): 11,000 lbs (4,990 kg)
- > Weight (with engines, fuel and water): 15,936 lbs. (7,228 kg)
- > Height (keel to highest point): 10'11"
- > Height (lowest tip underwater gear, in down position, to top of windshield/hardtop): 11'5"
- > Maximum Weight Capacity: 5,071 lbs (2,300 kg)
- > Swamped Capacity: 5,000 lbs (2,268 kg)
- > Maximum Persons Capacity: 14
- > Maximum Horsepower: 1,050 HP (783 kW)
- > Minimum Horsepower: 750 HP (559 kW)
- > Maximum Engine Weight: 2,100 lbs (953 kg)
- > Transom Height: 30" (0.76 m)
- > Transom Angle: 15º
- > Deadrise at Transom: 23º
- > Fuel Capacity: 400 gallons (1,514.2 L)
- > Waste Capacity: 7 gallons (26 L)
- > Water Capacity: 45 gallons (170.34 L)
- > Livewell Volume: 40 gallons (151.4 L)
- > Bridge Clearance with Top: 8'10" (2.70 m)
- > Bridge Clearance with Top and Radar: 9'11" (3.02 m)
- > Bridge Clearance with Upper Station: 15' (4.57 m)
- > Package Boat Specs (with trailer/engine up): 39' 6"L x 10' 10"W x 10' 11"H
- > European Certification: B



STANDARD EQUIPMENT

- All Rails Welded 316-L Stainless Steel
- All Hardware 316-L Stainless Steel

DECK/COCKPIT

- 10" stainless steel cleats stern cockpit with gunnel board hawse pipe (2), anchor locker (1)
- 10" stainless steel pull-up cleats bow (2), midship spring line (2), crosstie cleats at transom
 (2)
- 28" interior freeboard
- Acrylic transom door with stainless steel latch
- Bow eve
- Cockpit blue and white LED courtesy lighting
- Cockpit machinery space LED lighting
- Extended integral swim platform with recessed telescoping dive ladder and grab rail
- Full coaming bolsters
- Gunnel mounted rod holders bow (4), aft cockpit (5)
- Heavy duty rub rail
- Molded fiberglass port side dive/boarding door with removable stainless steel dive ladder
- Pressurized livewell (23 gallons) in aft port corner with clear lid and blue interior with red and white LED lights
- Self-bailing cockpit sole
- Stainless steel cockpit toe rails
- Stainless steel drink holders bow (2), hawse pipes (2), helm (3), leaning post (4), forward console lounge (2), bow seating area integrated into low bow rail (4)
- Stainless steel grab rails
- Stainless steel thru hull anchor roller davit
- Transom rod holders (5)
- Under gunnel rod holders (3)
- Under gunnel storage shelf with downrigger weight holders (2 per side)
- Welded stainless steel low profile interior bow rail
- Windlass with rode and anchor (400')

CONSOLE

- 12-V receptacle
- Cast stainless steel steering wheel with knob

- and tilt helm
- Center helm layout
- Compass
- Dash visor
- Drink holders (3)
- Electronics mounting surface with space for dual displays
- Instrumentation and electrical switch panel with illuminated text
- Lockable fiberglass side entry door with stainless steel pantograph hinge
- Locking glove box
- Mercury® DTS dual binnacle controls
- Mercury® SmartCraft Vessel View Display 7" color LCD display (network connections to Raymarine with Navigation Package)
- Molded console footrests and fold-down helm standing platform with maintenance free synthetic teak surface
- Remote ignition key switches with pushbutton start at helm
- Stereo Fusion® color LCD, iPod/iPhone dock audio, AM/FM/USB audio/VHF/WX/Sirus XM TM ready, JL Audio waterproof speakers (6), amplifier (1), bow mounted remote control (1), MP3 inputs and 12-V receptacle in glove box and sun lounge armrest (2) (Fusion integration into Raymarine with Navigation Package) (Fusion Bluetooth enabled)

SEATING

- Foldaway stern bench seat
- Forward console lounge with fold-down armrests, drink holders (2), backrests, removable cushion, MP3 input and 12-V receptacle
- Forward port and starboard seats with folding backrests and drink holders (6)
- Helm and companion bolster style seats (3) with fold-down armrests (2) (center seat is mechanically adjustable fore and aft)

STORAGE

- Bow anchor locker with drains
- Hanging locker / compartment in head
- Insulated in-floor fishboxes with pump-out aft



2017 MODEL YEAR

(2), forward (1)

- Lifejacket storage in hardtop
- Lockable console front storage with LED lighting –
 holds 6 rods, 2 5-gallon buckets (included), 2 storage
 bins (included), 1 36-qt cooler (included) and miscellaneous gear (optional dive tank racks available)
- Lockable electronics box in hardtop
- Lockable glove box
- Side coaming boxes with storage nets
- Storage in leaning post
- Storage under bow seating with LED lighting

HARDTOP / WINDSHIELD SYSTEM

- Custom painted integrated frame with aft support legs
- Ladder access to hardtop
- LED aft cockpit area flood lights (2)
- LED blue lighting (6)
- LED bow area flood light (1)
- LED courtesy chart light (red and white) (1)
- LED navigation lights in hardtop with acrylic access door
- Lifejacket storage
- Lockable electronics box
- Outrigger ready
- Rod holders (7)
- Tempered glass windshield with power actuated vent
- Windshield wiper with wash system

DELUXE LEANING POST / BAIT PREP CENTER

- 120-V outlet
- Bait prep area with cutting board
- Dedicated area for slide-out carry-on cooler (65 qt cooler included)
- Drink holders (4)
- Freshwater sink (cold only without optional Convenience Package)
- Knife holder
- LED white lighting for work surface (2)
- Lure bags with dedicated storage (3)
- Pressurized livewell (40 gallons) with clear lid and blue interior with red and white LED lights
- Slide-out 5- gallon pail storage
- Stainless steel grab rail

- Storage lid with tool holders
- Tackle storage drawers and leader holders

SHOWER / HEAD

- 120-V outlet
- 500 GPH shower sump
- Hanging locker
- Interior courtesy lights (red and white) (2)
- Maintenance free synthetic teak flooring
- Opening porthole with screen (1)
- Shower with curtain and pull out faucet sprayer from vanity (cold only without optional Convenience Package)
- Storage cabinet
- VacuFlush™ toilet, holding tank with tank vent filter for overboard discharge and dockside pump-out
- Vanity with sink and mirror

MECHANICAL

- 300 L6 DTS triple Mercury Verado FourStroke engines with power steering and Shadow Mode technology (91 octane fuel recommended)
- 30-amp shore power inlet with battery charger, galvanic isolator and shore power cord
- 400-gallon aluminum fuel tank
- Automatic bilge pumps 1,100 GPH interior, 2,000 GPH bilge, 2,000 GPH with high water steady state alarm
- Battery trays (4) with remote switches and automatic charging/paralleling relays
- Bonding system for underwater through hull fittings
- Bow thruster (4kW) with dedicated battery bank and charging system (not available with Joystick Piloting)
- Cast bronze thru hulls and seacocks (below waterline)
- Cast stainless steel thru hulls (above waterline)
- Electric trim tabs with indicator (dual ram)
- Electric trumpet horn
- Engine fuel / water separators
- Freshwater dive door shower (cold only without optional Convenience Package)
- Freshwater system with 45-gallon tank
- Freshwater transom shower (cold only without optional Convenience Package)

- Freshwater stainless steel washdown faucet in anchor locker
- Pressurized livewell (23-gallon) with clear top window and blue interior in aft port corner
- Pressurized livewell (40-gallon) with clear top window and blue interior in leaning post
- Raw-water stainless steel washdown faucet midship
- Stainless steel propellers
- Transducer mount area
- Windlass with rode and anchor
- Windshield wiper with wash system

NOTABLE OPTIONS / ACCESSORIES

- 12-V receptacles at transom for electric reels / downriggers (2)
- ☐ Air conditioning reverse cycle, helm, console and windshield defogger (6,000 BTU) (must select generator for use while away from shore power)
- □ Anchor stainless steel
- □ Anchor windlass chain (300')
- $\hfill\Box$ Bow tow eye
- Cockpit misting system high-pressure system, stainless steel nozzles in hardtop (6), directional spray wands under gunnels, utilizes boat's freshwater system
- ☐ Commissioning kit includes: air horn, batteries group 31 AGM (4) group 27 AGM (2), boat hook, dock lines (8), fenders (4), fire extinguishers (2), first aid kit, flare kit, life vests (type 1 offshore (10) with custom storage bags), spare fuel filters (3), throw cushion, tool kit (basic), water/holding tank supplies
- Convenience package (must select generator for use while away from shore power) – includes: coffeemaker, hot water mixers at console vanity faucet, leaning post faucet, transom and mid-ship hand showers, microwave, water heater
- □ Dive tank holders (4) in console front storage
- ☐ Electric grill (must select generator or inverter for use while away from shore power) (included in Summer Kitchen Leaning Post option) (not compatible with both inverter and joystick piloting)
- □ Electric grill delete (requires Summer Kitchen Lean-



2017 MODEL YEAR

- ing Post option)
- Freezer plates in fishboxes (port and starboard fishboxes) (requires Generator option)
- Freezer plates, starboard fishbox (requires Generator option)
- Generator with automatic fire suppression system and manual override (low CO gas (6.0 kW) 220-V, 50 hz (Europe))(low CO gas (7.5 kW) 120-V, 60 hz)
- Gyro stabilizer (5,000 N-M-S gyro) (deletes 65 Qt. cooler in leaning post) (not compatible with Starboard pull-out refrigerator) (must select generator) (must select summer kitchen) (fuel capacity changes to 375 gallons (1419.5L))
- Inverter system (for use of electric grill while away from shore power) (cannot select with generator)
- □ Lighting underwater LED hull mounted (3)
- □ Lighting underwater LED transom mounted (4)
- □ Radial outriggers (hardtop mounted) (black)
- □ Rail at bow
- □ Rail split bow rail
- □ Rail white rub rail with stainless steel inserts
- □ Red, blue or black graphics, striping and logos
- Refrigerator portside pull-out (12-V/120-V 1.75 cubic feet) (replaces 5 gallon pail storage) (requires
 Summer Kitchen Leaning Post option)
- Refrigerator starboard pull-out (12-V/120-V, 1.75 cubic feet) and starboard storage cabinet (replaces 65 gt. cooler in leaning post)
- Seating Cockpit fold-out bench seat (starboard)
 (replaces under gunnel rod holder)
- □ Seating Fold-down trolling seats (2)
- □ Self-leveling trim tab system
- Spotlight
- □ Summer kitchen leaning post (must select generator for use while away from shore power)(replaces bait prep center) − includes: 120-V outlet, cutting board, dedicated area for slide-out, carry-on cooler (65 qt cooler included), drink holders (4), electric grill (must select inverter or generator for use away from shore power), freshwater sink (cold only without optional Convenience Package), LED white lighting for work surface (2), prep center lid with storage shelf, slide-out 5-gallon pail storage, solid surface countertop, stainless steel grab rail
- □ Sunshade at bow

- Sunshade at cockpit (electrically retracts and deploys)
- □ Table aft cockpit
- ☐ Table bow table / sun lounge (fiberglass table with synthetic teak overlay and gas assist base) with filler cushion and canvas cover
- □ Trailer Aluminum
- □ Upper station − includes: control box and upholstery canvas cover (black), ladder access to the hardtop, LED blue lighting (4), painted upper station frame with fold-down canopy, tilt helm with stainless steel steering wheel, upper station control box with compass, drink holders (3), DTS throttle and shift and Vessel View 5" display, upper station upholstery with backrest, VHF antenna extension (navigation package required)
- Upper station with joystick piloting includes: all upper station option components, electronic steering, joystick, skyhook/autopilot keypad
- Water delivery at manufacturing plant (includes all items from commissioning kit, plus 400 gallons of fuel)
- Water delivery with upper station (includes all items from commissioning kit, plus 400 gallons of fuel)

ENGINES

- 250 L6 DTS Black Triple Mercury Verado FourStroke engines with power steering and Shadow Mode Technology
- 300 L6 DTS White Triple Mercury Verado FourStroke engines with power steering and Shadow Mode Technology (91 octane fuel recommended)
- 250 L6 DTS Black Triple Mercury Verado FourStroke engines with Joystick Piloting; outboard docking system with joystick, electronic steering, Skyhook/ autopilot keypad and functionality (Raymarine or other standalone optional autopilot not permitted with Joystick Piloting)
- 300 L6 DTS Black Triple Mercury Verado FourStroke engines with Joystick Piloting; outboard docking system with joystick, electronic steering, Skyhook/ autopilot keypad and functionality (Raymarine or other standalone optional autopilot not permitted with Joystick Piloting)
- □ 300 L6 DTS White Triple Mercury Verado FourStroke

- engines with Joystick Piloting; outboard docking system with joystick, electronic steering, Skyhook/ autopilot keypad and functionality (Raymarine or other standalone optional autopilot not permitted with Joystick Piloting)
- 350 L6 DTS Black Triple Mercury Verado FourStroke with hydraulic power steering and Shadow Mode Technology (91 octane fuel recommended)
- 350 L6 DTS White Triple Mercury Verado FourStroke with hydraulic power steering and Shadow Mode Technology (91 octane fuel recommended)
- 350 L6 DTS Black Triple Mercury Verado FourStrokes with JOYSTICK PILOTING. Outboard docking system with joystick electronic steering, Skyhook/autopilot keypad and functionality. (Raymarine or other standalone optional autopilot not permitted with Joystick Piloting) (91 octane fuel recommended)
- 350 L6 DTS White Triple Mercury Verado FourStrokes with JOYSTICK PILOTING. Outboard docking system with joystick electronic steering, Skyhook/autopilot keypad and functionality. (Raymarine or other standalone optional autopilot not permitted with Joystick Piloting) (91 octane fuel recommended)

ELECTRONICS

- Premium stereo in addition to standard stereo, JL Audio waterproof speakers (2), JL Audio waterproof subwoofer (1) and amplifier 3CH (1)
- Raymarine Automatic Identification System (AIS)
 (must select a navigation package)
- Raymarine Autopilot Evolution with 3.5" color TFT display (must select navigation package) (not compatible with Joystick piloting)
- Raymarine Chirp Downvision CP100 Sonar with CPT100 Transom Mount Transducer (must select a navigation package)
- Raymarine eS97 9" Electronics for Upper Station (Gateway integrated to provide SmartCraft engine data to Raymarine display)(GPS/chart plotter/fishfinder)(Ray260 modular VHF system)(must select upper station and a navigation package)
- Raymarine gS95 9" Electronics for Upper Station (Gateway integrated to provide SmartCraft engine data to Raymarine display)(GPS/chart plotter/fishfinder)(Ray260 modular VHF system) (must select



2017 MODEL YEAR

- upper station and a navigation package)
- Raymarine E165 15.4" Electronics / Navigation
 Package (GPS/chart plotter/fishfinder)(1000 watt thru hull transducer)(Ray260 modular VHF system) (available chart cards: Lighthouse Charting – US – Coastal)
- Raymarine E165 15.4" Additional Display Electronics
 Package (GPS/chart plotter/fishfinder) (must select a navigation package)
- Raymarine gS165 15.4" Electronics / Navigation
 Package (GPS/chart plotter/fishfinder)(1000 watt thru hull transducer)(Ray260 modular VHF system) (available chart cards: Lighthouse Charting – US – Coastal)
- Raymarine gS165 15.4" Additional Display Electronics
 Package (GPS/chart plotter/fishfinder) (must select a navigation package) (dash surface custom black acrylic with integrated switch panels)
- Raymarine Radar Open Array (4kW 24" high definition digital radar with 48" open array antenna) (must select a navigation package)
- Raymarine Radar with Satellite Weather Open
 Array (4kW 24" high definition digital radar with 48" open array antenna) with Raymarine Siriu weather receiver(requires monthly subscription) (must select a navigation package)
- Raymarine Satellite Weather (requires monthly subscription) (must select navigation package)
- □ Raymarine T253 Thermal Night Vision (30Hz NTSC)
- Theft Deterrent System (anti-theft security key)
 (Mercury TDS Premium with connected vessel)
 (Telematics tracking system with GeoFence Immobilization)
- □ Satellite radio Sirius XM[™] satellite receiver with antenna installed (does not include service)

CANVAS

- Canvas cover package includes: black sunbrella, cockpit seat back cover, console cover, forward cushion covers, helm seat cover, storage garage cover
- Full canvas mooring cover from hardtop to fore and aft deck coverage
- Hardtop enclosure curtains (full beam aft enclosure behind helm seating, wing curtains and side enclosure) (white or black)

COLOR PAINTED HULLS

- □ Abaco Blue (silver graphics)
- □ Fighting Lady Yellow (black graphics)
- □ Horizon Blue (silver graphics)
- □ Ice Blue (black graphics)
- □ Jadestone (silver graphics)
- □ Oyster Grey (black graphics)
- □ Platinum (black graphics)
- ☐ Sand Metallic (black graphics)
- □ Steel Blue (silver graphics)
- □ Wasabi (black graphics)